antibodies.com

# Datasheet for ABIN6244216 anti-NDUFA7 antibody (AA 80-110)

Image



### Overview

Quantity:	200 µL
Target:	NDUFA7
Binding Specificity:	AA 80-110
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NDUFA7 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	This NDUFA7 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 80-110 amino acids from human NDUFA7.
Clone:	RB53480
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.


## Target Details

Target:	NDUFA7
Alternative Name:	NDUFA7 (NDUFA7 Products)
Background:	Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN6244216 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
	(Complex I), that is believed not to be involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.
Molecular Weight:	12551
UniProt:	095182
Application Details	
Application Notes:	WB: 1:2000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Expiry Date:	6 months

#### Images



#### Western Blotting

**Image 1.** All lanes : Anti-NDUFA7 Antibody (C-Term) at 1:2000 dilution Lane 1: mouse heart lysate Lane 2: MCF-7 whole cell lysate Lane 3: S whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 13 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN6244216 | 09/10/2023 | Copyright antibodies-online. All rights reserved.