# antibodies - online.com







# anti-TRAPPC13 antibody (N-Term)



Image



$\sim$	
( )\/\	rview
$\cup$	

3 ( 3 ( 1 3 ) )	
Quantity:	400 μL
Target:	TRAPPC13
Binding Specificity:	AA 34-68, N-Term
Reactivity:	Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRAPPC13 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This C5orf44 antibody is generated from a rabbit immunized with a KLH conjugated synthetic
	peptide between 34-68 amino acids from the N-terminal region of human C5orf44.
Clone:	RB47710
Isotype:	Ig Fraction
Predicted Reactivity:	В
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	TRAPPC13
Alternative Name:	C5orf44 (TRAPPC13 Products)

### **Target Details**

Molecular Weight:	46524
UniProt:	A5PLN9


# **Application Details**

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

# Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Expiry Date:	6 months

#### **Images**



#### **Western Blotting**

**Image 1.** Western blot analysis of lysates from mouse liver, rat liver tissue lysate (from left to right), using C5orf44 Antibody (N-term) (ABIN6244239 and ABIN6577659). (ABIN6244239 and ABIN6577659) was diluted at 1:10000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysates at 20 μg per lane.