antibodies -online.com





Datasheet for ABIN6244359

IL-7 IQ-ELISA Kit



_			
\cup)ve	rv	iew

96 tests
IL-7 (IL7)
Human
Sandwich ELISA
0.32 pg/mL - 1000 pg/mL
0.32 pg/mL
ELISA
Human Immunoquantitative (PCR-Based) IL-7 ELISA Kit for cell culture supernatants, plasma,
and serum samples.
Cell Culture Supernatant, Plasma, Serum
Semi-Quantitative
qPCR
IQELISAs employ specific capture antibodies coated on a 96-well PCR plate. Standards and
samples are pipetted into the wells; the target protein in the standards and samples binds to
the immobilized antibody. The wells are washed and the detection affinity reagent is added to
the wells where it binds to any captured antigen. The wells are washed, and primers and PCR
master mix are added to each well. The plate is placed into a real time PCR instrument for
cycling and measurement of DNA amplification. The cycle number where amplification is
detected is proportional to the amount of affinity detection reagent that bound to captured

Product Details		
	antigen in each well.	
Components:	 IL-7 Microplate (Item A): 96 well PCR plate coated with anti-Human IL-7 Wash Buffer I Concentrate (20x) (Item B): 25 ml of 20x concentrated solution Standards (Item C): 2 vials of recombinant Human IL-7 Assay Diluent A (Item D): 30 ml diluent buffer, 0.09% sodium azide as preservative. For Standard/Sample (serum/plasma) diluent Assay Diluent B (Item E): 15 ml of 5x concentrated buffer. For Standard/Sample (cell culture medium/urine) diluent Detection Affinity Reagent for IL-7 (Item F): 2 vials of a 4x concentrated solution of anti-Human IL-7 affinity reagent IQELISA Detection Reagent (Item G): 1.4ml of a 10x concentrated stock Primer Solution (Item I): 1.7 ml vial PCR Master Mix (Item J): 1.2 ml vial PCR Preparation buffer (Item K): 1ml vial of 10x concentrated buffer Final Wash Buffer (Item L): 10ml vial of 10x concentrated buffer 	
Material not included:	 Real-time PCR instrument, Bio-Rad recommended Precision pipettes to deliver 2 µL to 1 mL volumes Adjustable 1-25 mL pipettes for reagent preparation 100 mL and 1 liter graduated cylinders Absorbent paper Distilled or deionized water Log-log graph paper or computer and software for data analysis Tubes to prepare standard or sample dilutions Heating block or water bath capable of 80°C 	
Target Details		
Target:	IL-7 (IL7)	
Alternative Name:	IL-7 (IL7 Products)	

Target:	IL-7 (IL7)
Alternative Name:	IL-7 (IL7 Products)
Gene ID:	3574
UniProt:	P13232
Pathways:	JAK-STAT Signaling
Application Details	

Application Notes: The Immuno-Quantitative ELISA (IQELISA) kits are an innovative assay platform that combines the specificity and ease of use of an ELISA with the sensitivity of real-time PCR. This results in an assay that is simultaneously familiar and cutting edge and enables the use of only 1/10th

	the sample volume while also providing 10x more sensitivity than a traditional ELISA.	
Comment:	Features:	
	- Excellent for follow up/confirmation of antibody array data	
	- Pre-coated 96 well plate	
	- Strip plate format minimizes waste	
	- Complete kit includes all necessary reagents	
	- 10x more sensitive than ELISA	
	- Reproducible and reliable	
	- Optimized for serum, plasma, urine and cell culture medium	
	- 1/10th the sample volume of an ELISA	
	Research Applications:	
	- Detection of quantitative protein levels in biological fluids	
	- Validation of antibody array results	
	- Validation of biomarker discovery studies	
Plate:	Pre-coated	
Protocol:	1. Prepare all reagents, samples and standards as instructed	
	2. Add 25 µL standard or sample to each well. Incubate for 2.5 hours at room temperature of	
	overnight at 4°C	
	3. Add 25 µL detection affinity reagent to each well. Incubate 1 hour at room temperature 4. Add 25µL of IQELISA Detection Reagent to each well. Incubate 1 hour	
	5. Add 15µL Primer solution 10µL of PCR master mix to each well	
	6. Run real-time PCR	
Reagent Preparation:	Recommended Dilution for serum and plasma samples2-10 fold	
Restrictions:	For Research Use only	
Handling		
Storage:	-20 °C	
Storage Comment:	May be stored for up to 6 months at 2° to 8°C from the date of shipment. Standard	
-	(recombinant protein) should be stored at -20°C or -80°C (recommended at -80°C) after	
	reconstitution. Opened PCR plate or reagents may be stored for up to 1 month at 2° to 8°C.	
	Note: the kit can be used within one year if the whole kit is stored at -20°C. Avoid repeated	
	freeze-thaw cycles.	
Funia / Data		
Expiry Date:	6 months	