

Datasheet for ABIN6253543

**SIRPA Protein (AA 32-373) (Fc Tag)**[Go to Product page](#)**2** Images

## Overview

Quantity:	100 µg
Target:	SIRPA
Protein Characteristics:	AA 32-373
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SIRPA protein is labelled with Fc Tag.

## Product Details

Sequence:	AA 32-373
Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.

## Target Details

Target:	SIRPA
Alternative Name:	SIRP alpha ( <a href="#">SIRPA Products</a> )
Background:	Tyrosine-protein phosphatase non-receptor type substrate 1 (SHPS1) is also known as CD172 antigen-like family member A (CD172a), Macrophage fusion receptor, MyD-1 antigen, Signal-regulatory protein alpha (SIRPA or SIRP alpha) or p84, is a member of the SIRP family, and also belongs to the immunoglobulin superfamily. SIRP alpha is Ubiquitous and highly expressed in brain. SIRPA / CD172a is immunoglobulin-like cell surface receptor for CD47 and acts as

Target Details

docking protein and induces translocation of PTPN6, PTPN11 and other binding partners from the cytosol to the plasma membrane. SIRPA / SHPS-1 supports adhesion of cerebellar neurons, neurite outgrowth and glial cell attachment and may play a key role in intracellular signaling during synaptogenesis and in synaptic function By similarity. SIRPA / MyD1 involved in the negative regulation of receptor tyrosine kinase-coupled cellular responses induced by cell adhesion, growth factors or insulin and mediates negative regulation of phagocytosis, mast cell activation and dendritic cell activation. CD47 binding prevents maturation of immature dendritic cells and inhibits cytokine production by mature dendritic cells.

Molecular Weight: 64.3 kDa

UniProt: [P97797](#)

Application Details

Restrictions: For Research Use only

Handling


Format: Lyophilized

Buffer: PBS, pH 7.4

Handling Advice: Please avoid repeated freeze-thaw cycles.


Storage: -20 °C

Images



**ELISA**

**Image 1.** Immobilized Mouse CD47, Mouse IgG2a Fc Tag, low endotoxin (ABIN5954914,ABIN6809967) at 10 µg/mL (100 µL/well) can bind Mouse SIRP alpha, Fc Tag (ABIN5955017,ABIN6253543) with a linear range of 10-156 ng/mL (QC tested).



SDS-PAGE

**Image 2.** Mouse SIRP alpha, Fc Tag on under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95 % .