

96 tests

# Datasheet for ABIN625356

## **BCMA ELISA Kit**

# 1 Image



(	۱۱/		٢V	Ĺ		۱٨	١.
	, v	$\cup$	V	1	$\overline{}$	٧	V

Quantity:

Target:	BCMA (TNFRSF17)		
Reactivity:	Human		
Method Type:	Sandwich ELISA		
Application:	ELISA		
Product Details			
Purpose:	Human BCMA/TNFRSF17 ELISA Kit for Serum, Plasma, and Cell Culture Supernatants.		
Sample Type:	Plasma, Cell Culture Supernatant, Serum		
Analytical Method:	Quantitative		
Detection Method:	Colorimetric		
Specificity:	This ELISA antibody pair recognizes Human BCMA.		
Characteristics:	<ul> <li>Strip plates and additional reagents allow for use in multiple experiments</li> <li>Quantitative protein detection</li> <li>Establishes normal range</li> <li>The best products for confirmation of antibody array data</li> </ul>		
Components:	<ul> <li>Pre-Coated 96-well Strip Microplate</li> <li>Wash Buffer</li> <li>Stop Solution</li> <li>Assay Diluent(s)</li> <li>Lyophilized Standard</li> <li>Biotinylated Detection Antibody</li> </ul>		

#### **Product Details**

- Streptavidin-Conjugated HRP
- TMB One-Step Substrate

#### Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 μL to 1 μL volumes
- Adjustable 1-25 µL pipettes for reagent preparation
- 100 µL and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- Log-log graph paper or computer and software for ELISA data analysis

#### **Target Details**

Target:	BCMA (TNFRSF17)
Alternative Name:	BCMA / TNFRSF17 (TNFRSF17 Products)
Gene ID:	608


#### **Application Details**

Sample Volume:	100 μL
Plate:	Pre-coated
Protocol:	1. Prepare all reagents, samples and standards as instructed in the manual.
	2. Add 100 μL of standard or sample to each well.
	3. Incubate 2.5 h at RT or O/N at 4 °C.
	4. Add 100 μL of prepared biotin antibody to each well.
	5. Incubate 1 h at RT.
	6. Add 100 μL of prepared Streptavidin solution to each well.
	7. Incubate 45 min at RT.
	8. Add 100 μL of TMB One-Step Substrate Reagent to each well.
	9. Incubate 30 min at RT.
	10. Add 50 μL of Stop Solution to each well.
	11. Read at 450 nm immediately.
Restrictions:	For Research Use only

### Handling

Storage:	-20 °C
Storage Comment:	The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is recommended to store at -80°C.
Expiry Date:	6 months

#### **Images**



Human TNFRSF17 concentration (ng/ml)

#### **ELISA**

Image 1. Standard Curve