# antibodies -online.com







# anti-RAB7A antibody (C-Term)



**Images** 



Go to Product page

$\sim$			
	N/6	1//r	$I \cap V$

600 µg	
000 Pg	
RAB7A	
C-Term	
Human, Mouse, Rat, Chicken, Cow, Dog, Monkey, Avian, Cat, Donkey, Goat, Guinea Pig, Hamster, Horse, Pig, Rabbit, Sheep	
Goat	
Polyclonal	
This RAB7A antibody is un-conjugated	
Western Blotting (WB), Immunofluorescence (IF)	
Purified recombinant peptide derived from within residues 110 aa to the C-terminus of mouse Rab7a produced in E. coli.	
IgG	
Detects Rab7a protein in the human, rat and mouse whole cell lysates and transfected cells with GFP-Rab7a by Western blot. This Ab is specific for Rab7a.	
RAB7A, member RAS oncogene family	
epitope affinity purified	
RAB7A	

# **Target Details**


Alternative Name:	Rab7a (RAB7A Products)
Pathways:	EGFR Signaling Pathway, Maintenance of Protein Location, SARS-CoV-2 Protein Interactome
Application Details	

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

# Handling


Handling Advice:	The antibody solution should be gently mixed before use.
Storage:	4 °C,-20 °C
Storage Comment:	For continuous use, store at 2-8 deg,C for one-two days. For extended storage, store in -20
	deg,C freezer. Working dilution samples should be discarded if not used within 12 hours.

# **Images**




# **Immunohistochemistry**

Image 1.



### **Western Blotting**

Image 2. Anti-Rab7a Ab at 1/500 dilution, 293 cells transfected with GFP-Rab7a, 293FT, D17, At-T20 and 3T3, lysates at 100 μg per lane, rabbit polyclonal to goat lgG (HRP) at dilution,



#### **Immunofluorescence**

**Image 3.** Immunofluorescence -anti-Rab7a Ab in Hepa1-6 cells at 1/50 dilution, cells were fixed With methanol,

Please check the product details page for more images. Overall 5 images are available for ABIN6254195.