antibodies -online.com







anti-BAX antibody (N-Term)



Images



Go to	Draa	110+	2000
(¬() (()	P(0)	11 16 21	nane

Overview

Quantity:	400 μg
Target:	BAX
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Monkey, Pig, Cow, Rabbit, Dog, Chicken, Sheep, Horse, Guinea Pig, Hamster, Goat, Avian, Cat, Donkey
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This BAX antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF)
Product Details	
Immunogen:	Purified recombinant peptide derived from within residues 90 aa to the N-terminus of human BAX produced in E. coli.
Isotype:	IgG
Specificity:	Detects a band of approximately 21 kDa by Western blot in the following cell lysate: hCat, At-T20, MDA-MB-231, H69 and HUH.
Characteristics:	BCL2-associated X protein
Purification:	epitope affinity purified
Target Details	
Target:	BAX

Target Details

Alternative Name:	BAX (BAX Products)
Pathways:	p53 Signaling, PI3K-Akt Signaling, Apoptosis, Caspase Cascade in Apoptosis, Positive
	Regulation of Endopeptidase Activity, Unfolded Protein Response


Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling


Handling Advice:	The antibody solution should be gently mixed before use.
Storage:	4 °C,-20 °C
Storage Comment:	For continuous use, store at 2-8 deg,C for one-two days. For extended storage, store in -20
	deg,C freezer. Working dilution samples should be discarded if not used within 12 hours.

Images




Immunohistochemistry

Image 1.



Western Blotting

Image 2. Anti-BAX Ab at 1:2,500 dilution, 50 µg of total protein per lane, rabbit polyclonal to goat IgG (HRP) at 1/10,000 dilution,



Immunofluorescence

Image 3. Immunofluorescence - anti-BAX Ab at 1/100 dilution in NHI/3T3 cells, cells were fixed with methanol and permeabilized With 0.1% saponin,

Please check the product details page for more images. Overall 7 images are available for ABIN6254209.