



[Go to Product page](#)

Datasheet for ABIN6256225
anti-HNRNPC antibody (pSer260)

4 Images

Overview

Quantity:	100 µL
Target:	HNRNPC
Binding Specificity:	pSer260
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPC antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF), Immunocytochemistry (ICC)

Product Details

Immunogen:	A synthesized peptide derived from human hnRNP C1/C2 around the phosphorylation site of Ser260.
Isotype:	IgG
Specificity:	Phospho-hnRNP C1/C2 (Ser260) Antibody detects endogenous levels of hnRNP C1/C2 only when phosphorylated at Serine 260.
Predicted Reactivity:	Horse,Rabbit,Dog,Xenopus
Purification:	The antibody is from purified rabbit serum by affinity purification via sequential chromatography on phospho- and non-phospho-peptide affinity columns.

Target Details


Target:	HNRNPC
Alternative Name:	HNRNPC (HNRNPC Products)
Background:	<p>Description: Binds pre-mRNA and nucleates the assembly of 40S hnRNP particles (PubMed:8264621). Interacts with poly-U tracts in the 3'-UTR or 5'-UTR of mRNA and modulates the stability and the level of translation of bound mRNA molecules (PubMed:12509468, PubMed:16010978, PubMed:7567451, PubMed:8264621). Single HNRNPC tetramers bind 230-240 nucleotides. Trimers of HNRNPC tetramers bind 700 nucleotides (PubMed:8264621). May play a role in the early steps of spliceosome assembly and pre-mRNA splicing. N6-methyladenosine (m6A) has been shown to alter the local structure in mRNAs and long non-coding RNAs (lncRNAs) via a mechanism named 'm6A-switch', facilitating binding of HNRNPC, leading to regulation of mRNA splicing (PubMed:25719671).</p> <p>Gene: HNRNPC</p>
Molecular Weight:	41kDa
Gene ID:	3183
UniProt:	P07910

Application Details

Application Notes:	WB 1:500-1:2000, IHC 1:50-1:200, IF/ICC 1:100-1:500, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.




Immunohistochemistry

Image 1. ABIN6267330 at 1/200 staining human colon carcinoma tissue sections by IHC-P. The tissue was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The tissue was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.



Western Blotting

Image 2. Western blot analysis of Phospho-hnRNP C1/2 (Ser260) expression in various lysates



Western Blotting

Image 3. Western blot analysis of hnRNP C1/2 phosphorylation expression in H₂O₂ treated 293 whole cell lysates, The lane on the left is treated with the antigen-specific peptide.

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN6256225.