# .-online.com antibodies

## Datasheet for ABIN6257288 anti-IL17RA antibody (N-Term)

2 Images



### Overview

Quantity:	100 μL
Target:	IL17RA
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL17RA antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunofluorescence (IF)

## Product Details

Immunogen:	A synthesized peptide derived from human IL17RA, corresponding to a region within N-terminal amino acids.
lsotype:	lgG
Specificity:	IL17RA Antibody detects endogenous levels of total IL17RA.
Predicted Reactivity:	Pig,Bovine,Horse,Rabbit,Dog
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink <sup>TM</sup> Coupling Resin (Thermo Fisher Scientific).

## Target Details


Т	ar	ae	t:
	ang	уc	ς.

IL17RA

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6257288 | 09/10/2023 | Copyright antibodies-online. All rights reserved.


Target Details	
Alternative Name:	IL17RA (IL17RA Products)
Background:	Description: Receptor for IL17A (PubMed:17911633, PubMed:9367539). Receptor for IL17F (PubMed:19838198, PubMed:17911633). Binds to IL17A with higher affinity than to IL17F (PubMed:17911633). Binds IL17A and IL17F homodimers as part of a heterodimeric complex with IL17RC (PubMed:16785495). Also binds heterodimers formed by IL17A and IL17F as part of a heterodimeric complex with IL17RC (PubMed:18684971). Receptor for IL17C as part of a heterodimeric complex with IL17RE (PubMed:21993848). Activation of IL17RA leads to induction of expression of inflammatory chemokines and cytokines such as CXCL1, CXCL8/IL8 and IL6 (PubMed:16785495, PubMed:17911633, PubMed:18684971). Gene: IL17RA
Molecular Weight:	90 kDa
Gene ID:	23765
UniProt:	Q96F46
Pathways:	SARS-CoV-2 Protein Interactome
Application Details	
Application Notes:	WB 1:500-1:1000, IF/ICC 1:100-1:500, IHC 1:50-1:200, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6257288 | 09/10/2023 | Copyright antibodies-online. All rights reserved.



#### Immunofluorescence (fixed cells)

**Image 1.** ABIN6274673 staining LOVO by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25°C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37°C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibody.



#### Western Blotting

**Image 2.** Western blot analysis of extracts from LOVO cells, using IL17RAantibody. The lane on the left is treated with the antigen-specific peptide.