antibodies -online.com





anti-ELOVL1 antibody (Internal Region)



Image




Go to Product page

Overview	
Quantity:	100 μL
Target:	ELOVL1
Binding Specificity:	Internal Region
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ELOVL1 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunofluorescence (IF), Immunocytochemistry (ICC)
Product Details	
Immunogen:	A synthesized peptide derived from human ELOVL1, corresponding to a region within the internal amino acids.
Isotype:	IgG
Specificity:	ELOVL1 Antibody detects endogenous levels of total ELOVL1.
Predicted Reactivity:	Pig,Bovine,Horse,Sheep,Rabbit,Dog
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).
Target Details	
Target:	ELOVL1

Target Details

Alternative Name:	ELOVL1 (ELOVL1 Products)
Background:	Description: Catalyzes the first and rate-limiting reaction of the four that constitute the long-
	chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process,
	allows the addition of 2 carbons to the chain of long- and very long-chain fatty acids/VLCFAs
	per cycle. Condensing enzyme that exhibits activity toward saturated C18 to C26 acyl-CoA
	substrates, with the highest activity towards C22:0 acyl-CoA. May participate in the production
	of both saturated and monounsaturated VLCFAs of different chain lengths that are involved in
	multiple biological processes as precursors of membrane lipids and lipid mediators. Importan
	for saturated C24:0 and monounsaturated C24:1 sphingolipid synthesis. Indirectly inhibits
	RPE65 via production of VLCFAs.
	Gene: ELOVL1
Molecular Weight:	35 kDa
Gene ID:	64834
UniProt:	Q9BW60
Application Details	
Application Notes:	WB 1:500-1:1000, IF/ICC 1:100-1:500, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 %
	glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months



Immunofluorescence (fixed cells)

Image 1. ABIN6275105 staining Hela cells by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25¡ãC. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37¡ãC. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) antibody(Cat.# S0006), diluted at 1/600, was used as secondary antibod