# antibodies - online.com







# anti-TMEM185A antibody





_					
U	V	er	VI	е	W

Quantity:	100 μL	
Target:	TMEM185A	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TMEM185A antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF), Immunocytochemistry (ICC)	

# **Product Details**

Immunogen:	A synthesized peptide	
Isotype:	IgG	
Specificity:	TMEM185A Antibody detects endogenous levels of total TMEM185A	
Cross-Reactivity:	Human, Mouse (Murine)	
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink <sup>TM</sup> Coupling Resin (Thermo Fisher Scientific).	

# **Target Details**

Target:	TMEM185A
Alternative Name:	TMEM185A (TMEM185A Products)
Background:	Gene: TMEM185A

#### **Target Details**

Molecular Weight:	41 kDa
Gene ID:	84548
UniProt:	Q8NFB2

### **Application Details**

Application Notes:	WB 1:500~1:1000 IF/ICC 1:100-1:500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 %	

glycerol.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which


Storage: -20 °C

Storage Comment: Store at -20 °C.Stable for 12 months from date of receipt

should be handled by trained staff only.

Expiry Date: 12 months

#### **Images**



# Immunofluorescence (fixed cells)

**Image 1.** ABIN6276218 staining Hela by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25<sub>i</sub>aC. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37<sub>i</sub>aC. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibod