antibodies -online.com





anti-SCRN2 antibody (C-Term)

3 Images



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	50 μg
Target:	SCRN2
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunocytochemistry (ICC),
	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Purification:	Immunoaffinity purified

Target Details

Target:	SCRN2
Alternative Name:	SCRN2 / Ses2 (SCRN2 Products)
Background:	Name/Gene ID: SCRN2
	Synonyms: SCRN2, Secernin 2, SES2, Secernin-2
Gene ID:	90507


Application Details

Application Notes:	Approved: ELISA, ICC, IHC, IHC-P (5 μg/mL), WB (0.5 - 1 μg/mL)
	Usage: SCRN2 antibody can be used for detection of SCRN2 by Western blot at 0.5-1 μg/mL.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.02 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	avoid freeze thaw cycles. Store undiluted.
Storage:	4 °C,-20 °C

Images

Expiry Date:

Storage Comment:




12 months

Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)


Store at 4°C for 3 months and -20°C, stable for up to 1 year. Avoid repeated freeze-thaw cycles.

Image 1. Human Spleen: Formalin-Fixed, Paraffin-Embedded (FFPE)



Immunohistochemistry (Formalin-fixed Paraffin-embedded Sections)

Image 2. Human Thyroid: Formalin-Fixed, Paraffin-Embedded (FFPE)



Immunohistochemistry

Image 3. Anti-SCRN2 antibody IHC of human spleen. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.