antibodies - online.com







anti-OR1J4 antibody (C-Term)





Overview	
Quantity:	100 μL
Target:	OR1J4
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR1J4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA
Product Details	
Immunogen:	A synthesized peptide derived from human OR1J4, corresponding to a region within C-terminal amino acids.
Isotype:	IgG
Specificity:	OR1J4 Antibody detects endogenous levels of total OR1J4.
Predicted Reactivity:	Rabbit
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).
Target Details	
Target:	OR1J4

Target Details


Alternative Name:	OR1J4 (OR1J4 Products)
Background:	Description: Odorant receptor. Gene: OR1J4
Molecular Weight:	35 kDa
Gene ID:	26219
UniProt:	Q8NGS1

Application Details

Application Notes:	WB 1:500-1:2000, IHC 1:50-1:200, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Expiry Date:	12 months



Western Blotting

Image 1. Western blot analysis of OR1J4 expression in HL-60 cell line lysate ;,The lane on the left is treated with the antigen-specific peptide.



Immunohistochemistry

Image 2. ABIN6273970 at 1/100 staining Human liver cancer tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.