antibodies -online.com





anti-OR2S2 antibody (C-Term)

2 Images



Go to Product page

Overview	
Quantity:	100 μL
Target:	OR2S2
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR2S2 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	A synthesized peptide derived from human OR2S2, corresponding to a region within C-terminal amino acids.
Isotype:	IgG
Specificity:	OR2S2 Antibody detects endogenous levels of total OR2S2.
Predicted Reactivity:	Pig,Bovine
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).
Target Details	
Target:	OR2S2

Target Details


Alternative Name:	OR2S2 (OR2S2 Products)
Background:	Description: Odorant receptor. Gene: OR2S2
Molecular Weight:	35 kDa
Gene ID:	56656
UniProt:	Q9NQN1

Application Details

Application Notes:	WB 1:500-1:2000, IHC 1:50-1:200, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Expiry Date:	12 months



Immunohistochemistry

Image 1. ABIN6273981 at 1/100 staining Human liver cancer tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.



Western Blotting

Image 2. Western blot analysis of OR2S2 expression in HepG2 whole cell lysate ,The lane on the left is treated with the antigen-specific peptide.