

Datasheet for ABIN6259542  
**anti-OR51M1 antibody (C-Term)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	100 µL
Target:	OR51M1
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR51M1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

## Product Details

Immunogen:	A synthesized peptide derived from human OR51M1, corresponding to a region within C-terminal amino acids.
Isotype:	IgG
Specificity:	OR51M1 Antibody detects endogenous levels of total OR51M1.
Predicted Reactivity:	Bovine,Horse,Rabbit,Dog
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink™ Coupling Resin (Thermo Fisher Scientific).

## Target Details

Target:	OR51M1
---------	--------

## Target Details

Alternative Name:	OR51M1 ( <a href="#">OR51M1 Products</a> )
-------------------	--

Background:	Description: Odorant receptor. Gene: OR51M1
-------------	--

Molecular Weight:	35 kDa
-------------------	--------

Gene ID:	390059
----------	--------

UniProt:	<a href="#">Q9H341</a>
----------	------------------------

## Application Details

Application Notes:	WB 1:500-1:2000, IHC 1:50-1:200, ELISA(peptide) 1:20000-1:40000
--------------------	---

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

Format:	Liquid
---------	--------

Concentration:	1 mg/mL
----------------	---------


Buffer:	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
---------	--

Preservative:	Sodium azide
---------------	--------------

Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
--------------------	--


Storage:	-20 °C
----------	--------

Expiry Date:	12 months
--------------	-----------



#### Immunohistochemistry

**Image 1.** ABIN6273959 at 1/100 staining Human liver cancer tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.



#### Western Blotting

**Image 2.** Western blot analysis of OR51M1 expression in SiHa cell line lysates ;,The lane on the left is treated with the antigen-specific peptide.