antibodies -online.com





anti-CARD6 antibody (N-Term)



Images



C ~ .	+ ~	1500	110+	page
(¬()	I() F	$T \cap T$	11 16 11	112016

Overview	
Quantity:	100 μL
Target:	CARD6
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CARD6 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Western Blotting (WB), Immunofluorescence (IF), Immunocytochemistry (ICC)

Product Details

Immunogen:	A synthesized peptide derived from human CARD6, corresponding to a region within N-terminal amino acids.
Isotype:	IgG
Specificity:	CARD6 Antibody detects endogenous levels of total CARD6.
Predicted Reactivity:	Dog
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).

Target Details

Target:	CARD6		
---------	-------	--	--

Target Details


Alternative Name:	CARD6 (CARD6 Products)
Background:	Description: May be involved in apoptosis. Gene: CARD6
Molecular Weight:	116kDa
Gene ID:	84674
UniProt:	Q9BX69

Application Details

Application Notes:	WB: 1:500-1:3000, IHC: 1:50-1:200, IF/ICC: 1:100-1:500, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months




Western Blotting

Image 1. Western blot analysis on HeLa cell lysate using CARD6 Antibody, The lane on the left is treated with the antigen-specific peptide.



Immunohistochemistry

Image 2. ABIN6266503 at 1/200 staining human liver carcinoma tissue sections by IHC-P. The tissue was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The tissue was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.



Western Blotting

Image 3. Western blot analysis of CARD6 expression in Mouse brain lysate

Please check the product details page for more images. Overall 5 images are available for ABIN6260460.