.-online.com antibodies

Datasheet for ABIN6261051 anti-CRYbB2 antibody (Internal Region)

2 Images



Overview

Quantity:	100 µL
Target:	CRYbB2
Binding Specificity:	Internal Region
Reactivity:	Rat, Mouse, Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CRYbB2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	A synthesized peptide derived from human CRYBB2, corresponding to a region within the internal amino acids.
lsotype:	lgG
Specificity:	CRYBB2 Antibody detects endogenous levels of total CRYBB2.
Predicted Reactivity:	Pig,Zebrafish,Bovine,Horse,Sheep,Rabbit,Dog,Chicken,Xenopus
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).

Target Details

Target:

CRYbB2

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6261051 | 09/10/2023 | Copyright antibodies-online. All rights reserved.


Target Details

Alternative Name:	CRYBB2 (CRYbB2 Products)
Background:	Description: Crystallins are the dominant structural components of the vertebrate eye lens. Gene: CRYBB2
Molecular Weight:	23kDa
Gene ID:	1415
UniProt:	P43320

Application Details

Application Notes:	WB 1:500-1:2000, IHC 1:50-1:200, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL

Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months



Immunohistochemistry

Image 1. ABIN6277648 at 1/100 staining Rat kidney tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22_jãC. An HRP conjugated goat anti-rabbit antibody was used as the secondary

kDa 1 2 250-150-100-75-50-37-25-20-15-

Western Blotting

Image 2. Western blot analysis of extracts of mouse eye, using CRYBB2 antibody. The lane on the left is treated with the antigen-specific peptide.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6261051 | 09/10/2023 | Copyright antibodies-online. All rights reserved.