antibodies -online.com







anti-DEFB132 antibody

Images



\sim							
	1//	\Box	r۱	/ [\bigcirc	1	٨,

Quantity:	100 μL
Target:	DEFB132
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DEFB132 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	A synthesized peptide derived from human DEFB132	
Isotype:	IgG	
Specificity:	DEFB132 Antibody detects endogenous levels of total DEFB132	
Cross-Reactivity:	Human, Mouse (Murine), Rat (Rattus)	
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).	

Target Details

Target:	DEFB132
Alternative Name:	DEFB132 (DEFB132 Products)
Background:	Description: Has antibacterial activity.

Target Details


	Gene: DEFB132
Molecular Weight:	11kDa
Gene ID:	400830
UniProt:	Q7Z7B7

Application Details

Application Notes:	WB 1:500-1:2000 IHC 1:50-1:200
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 $\%$ sodium azide and 50 $\%$ glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C.Stable for 12 months from date of receipt
Expiry Date:	12 months



Immunohistochemistry

Image 1. ABIN6276488 at 1/100 staining Human uterus tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22¡ãC. An HRP conjugated goat anti-rabbit antibody was used as the secondary



Western Blotting

Image 2. Western blot analysis of Mouse liver lysate, using DEFB132 Antibody. The lane on the left is treated with the antigen-specific peptide.