antibodies -online.com











Overview	
Quantity:	100 μL
Target:	GANP (MCM3AP)
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GANP antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF), Immunocytochemistry (ICC)
Product Details	
Immuno gon:	A synthesized pentide derived from human CAND corresponding to a region within C terminal

Immunogen:	A synthesized peptide derived from human GANP, corresponding to a region within C-terminal amino acids.
Isotype:	IgG
Specificity:	GANP Antibody detects endogenous levels of total GANP.
Predicted Reactivity:	Pig,Bovine,Horse,Sheep,Rabbit,Dog
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).

Target Details

Target:	GANP (MCM3AP)	


Target Details

Alternative Name:	MCM3AP (MCM3AP Products)
Background:	Description: Isoform GANP: Essential for the generation of high-affinity B-cells against T-cell-
	dependent antigens by affecting somatic hypermutation at the IgV-regions. May have
	stimulation-dependent DNA primase activity that would generate extra RNA primers in very
	rapidely proliferating cells and would support clonal expansion of differentiating B-cells (By
	similarity). Involved in the nuclear export of poly(A)-containing mRNAs by acting as a scaffold
	for the TREX-2 complex. The TREX-2 complex functions in docking export-competent
	ribonucleoprotein particles (mRNPs) to the nuclear entrance of the nuclear pore complex
	(nuclear basket). TREX-2 participates in mRNA export and accurate chromatin positioning in
	the nucleus by tethering genes to the nuclear periphery.
	Gene: MCM3AP
Molecular Weight:	218kDa
Gene ID:	8888
UniProt:	060318
Pathways:	Protein targeting to Nucleus
Application Details	
Application Notes:	WB: 1:500-1:3000, IHC: 1:50-1:200, IF/ICC 1:100-1:500, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 %
	glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.

Expiry Date:


12 months

Images




Western Blotting

Image 1. Western blot analysis on NIH-3T3 cell lysate using GANP Antibody,The lane on the left is treated with the antigen-specific peptide.



Immunofluorescence (fixed cells)

Image 2. ABIN6266545 staining NIH-3T3 by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25°C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37°C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibody.



Immunohistochemistry

Image 3. ABIN6266545 at 1/100 staining human Testis tissue sections by IHC-P. The tissue was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The tissue was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.

Please check the product details page for more images. Overall 4 images are available for ABIN6261878.