## antibodies - online.com







## anti-KCNJ15 antibody (C-Term)




Image



$\sim$						
	1//	Д	r۱	1	<b>Θ</b> 1	٨

Quantity:	100 μL	
Target:	KCNJ15	
Binding Specificity:	C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This KCNJ15 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA	
Product Details		
lmmunogen:	A synthesized peptide derived from human KCNJ15, corresponding to a region within C-	
	terminal amino acids.	
Isotype:	IgG	
Specificity:	KCNJ15 Antibody detects endogenous levels of total KCNJ15.	
Predicted Reactivity:	Pig,Bovine,Horse,Sheep,Rabbit,Dog,Chicken	
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink <sup>TM</sup> Coupling	
	Resin (Thermo Fisher Scientific).	
Target Details		
Target:	KCNJ15	

Target Details				
Alternative Name:	KCNJ15 (KCNJ15 Products)			
Background:	Description: Inward rectifier potassium channels are characterized by a greater tendency to allow potassium to flow into the cell rather than out of it. Their voltage dependence is regulated by the concentration of extracellular potassium, as external potassium is raised, the voltage range of the channel opening shifts to more positive voltages. The inward rectification is mainly due to the blockage of outward current by internal magnesium.  Gene: KCNJ15			
Molecular Weight:	43 kDa			
Gene ID:	3772			
UniProt:	Q99712			
Application Details				
Application Notes:	WB 1:1000-3000, ELISA(peptide) 1:20000-1:40000			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 mg/mL			
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.			



## **Western Blotting**

**Image 1.** Western blot analysis of KCNJ15 using HeLa whole cell lysates