# antibodies -online.com





# anti-MSK2 antibody (Internal Region)



Image



Overview	
Quantity:	100 μL
Target:	MSK2 (RPS6KA4)
Binding Specificity:	Internal Region
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MSK2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	A synthesized peptide derived from human MSK2, corresponding to a region within the internal amino acids.
Isotype:	IgG
Specificity:	MSK2 Antibody detects endogenous levels of total MSK2.
Predicted Reactivity:	Pig,Zebrafish,Bovine,Horse,Sheep,Dog
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink <sup>TM</sup> Coupling Resin (Thermo Fisher Scientific).
Target Details	
Target:	MSK2 (RPS6KA4)


## **Target Details**

Alternative Name:	RPS6KA4 (RPS6KA4 Products)
Background:	Description: Serine/threonine-protein kinase that is required for the mitogen or stress-induced
	phosphorylation of the transcription factors CREB1 and ATF1 and for the regulation of the
	transcription factor RELA, and that contributes to gene activation by histone phosphorylation
	and functions in the regulation of inflammatory genes. Phosphorylates CREB1 and ATF1 in
	response to mitogenic or stress stimuli such as UV-C irradiation, epidermal growth factor (EGF)
	and anisomycin. Plays an essential role in the control of RELA transcriptional activity in
	response to TNF. Phosphorylates 'Ser-10' of histone H3 in response to mitogenics, stress
	stimuli and EGF, which results in the transcriptional activation of several immediate early genes
	including proto-oncogenes c-fos/FOS and c-jun/JUN. May also phosphorylate 'Ser-28' of
	histone H3. Mediates the mitogen- and stress-induced phosphorylation of high mobility group
	protein 1 (HMGN1/HMG14). In lipopolysaccharide-stimulated primary macrophages, acts
	downstream of the Toll-like receptor TLR4 to limit the production of pro-inflammatory
	cytokines. Functions probably by inducing transcription of the MAP kinase phosphatase DUSP1
	and the anti-inflammatory cytokine interleukin 10 (IL10), via CREB1 and ATF1 transcription
	factors.
	Gene: RPS6KA4
Molecular Weight:	85kDa
Gene ID:	8986
UniProt:	075676
Application Details	
	WB 1:500-1:2000, ELISA(peptide) 1:20000-1:40000
Application Notes:	WB 1:500-1:2000, ELISA(peptide) 1:20000-1:40000  For Research Use only
Application Notes: Restrictions:	
Application Notes:  Restrictions:  Handling	
Application Notes:  Restrictions:  Handling  Format:	For Research Use only
Application Notes:  Restrictions:  Handling  Format:	For Research Use only  Liquid
Application Notes:  Restrictions:  Handling  Format:  Concentration:  Buffer:	For Research Use only  Liquid  1 mg/mL  Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 %
Handling  Format:  Concentration:	For Research Use only  Liquid  1 mg/mL  Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.

### Handling

	should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months

#### **Images**



#### **Western Blotting**

**Image 1.** Western blot analysis of MSK2 in lysates of HepG2, using MSK2 Antibody(ABIN6272811).