antibodies -online.com





anti-OR4Q3 antibody (C-Term)

2 Images



Go to Product page

Overview	
Quantity:	100 μL
Target:	OR4Q3
Binding Specificity:	C-Term
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR4Q3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF), Immunocytochemistry (ICC)
Product Details	
Immunogen:	A synthesized peptide derived from human OR4Q3, corresponding to a region within C-terminal amino acids.
Isotype:	IgG
Specificity:	OR4Q3 Antibody detects endogenous levels of total OR4Q3.
Predicted Reactivity:	Bovine,Horse,Sheep
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).
Target Details	
Target:	OR4Q3

Target Details


Alternative Name:	OR4Q3 (OR4Q3 Products)
Background:	Description: Odorant receptor. Gene: OR4Q3
Molecular Weight:	35 kDa
Gene ID:	441669
UniProt:	Q8NH05

Application Details

Application Notes:	WB 1:1000-3000, IF/ICC 1:100-1:500, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 $\%$ sodium azide and 50 $\%$ glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months



kDa 250— 150— 100— 75— 50— 37— — 25— 20— 15—

Immunofluorescence (fixed cells)

Image 1. ABIN6278611 staining HeLa by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25¡ãC. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37¡ãC. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibod

Western Blotting

Image 2. Western blot analysis OR4Q3 using HT29 whole cell lysates