antibodies - online.com







anti-OR51G1 antibody

Images



\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	OR51G1
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR51G1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF), Immunocytochemistry (ICC)

Product Details

Immunogen:	A synthesized peptide derived from human OR51G1	
Isotype:	IgG	
Specificity:	OR51G1 Antibody detects endogenous levels of total OR51G1	
Cross-Reactivity:	Human	
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling	
	Resin (Thermo Fisher Scientific).	

Target Details

Target:	OR51G1
Alternative Name:	OR51G1 (OR51G1 Products)
Background:	Description: Odorant receptor.

Target Details


	Gene: OR51G1
Molecular Weight:	36 kDa
Gene ID:	79324
UniProt:	Q8NGK1

Application Details

Application Notes:	WB 1:1000-3000, IF/ICC 1:100-1:500
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 $\%$ sodium azide and 50 $\%$ glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C.Stable for 12 months from date of receipt
Expiry Date:	12 months



Western Blotting

Image 1. Western blot analysis OR51G1 using HuvEc whole cell lysates



Immunofluorescence (fixed cells)

Image 2. ABIN6278612 staining COLO205 by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25¡ãC. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37¡ãC. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibod