antibodies.com

Datasheet for ABIN6264172 anti-PHF11 antibody (C-Term)

2 Images



Overview

Quantity:	100 µL
Target:	PHF11
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PHF11 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details


Immunogen:	A synthesized peptide derived from human PHF11, corresponding to a region within C-terminal amino acids.
Isotype:	lgG
Specificity:	PHF11 Antibody detects endogenous levels of total PHF11.
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).

Target Details

Target:	PHF11
Alternative Name:	PHF11 (PHF11 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6264172 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details		
Background:	Description: Positive regulator of Th1-type cytokine gene expression. Gene: PHF11	
Molecular Weight:	34 kDa	
Gene ID:	51131	
UniProt:	Q9UIL8	
Application Details		
Application Notes:	WB 1:500-1:2000, IHC 1:50-1:200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.	
Expiry Date:	12 months	



Immunohistochemistry

Image 1. ABIN6273294 at 1/100 staining Mouse lung tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.

Western Blotting

Image 2. Western blot analysis of extracts of mouse thymus tissue, using PHF11 antibody.

