antibodies .- online.com







anti-PIAS3 antibody (N-Term)





\sim	
()\/△	rview
\cup	1 410 44

Target:

Quantity:	100 μL
Target:	PIAS3
Binding Specificity:	N-Term
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PIAS3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunofluorescence (IF),
	Immunocytochemistry (ICC)
Product Details	
Immunogen:	A synthesized peptide derived from human PIAS3, corresponding to a region within N-terminal
	amino acids.
Isotype:	IgG
Specificity:	PIAS3 Antibody detects endogenous levels of total PIAS3.
Predicted Reactivity:	Pig,Bovine,Horse,Sheep,Rabbit,Dog,Xenopus
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling
	Resin (Thermo Fisher Scientific).
Target Details	

PIAS3


Target Details

Alternative Name:	PIAS3 (PIAS3 Products)
Background:	Description: Functions as an E3-type small ubiquitin-like modifier (SUMO) ligase, stabilizing the
	interaction between UBE2I and the substrate, and as a SUMO-tethering factor. Plays a crucial
	role as a transcriptional coregulation in various cellular pathways, including the STAT pathway
	and the steroid hormone signaling pathway. Involved in regulating STAT3 signaling via
	inhibiting STAT3 DNA-binding and suppressing cell growth. Enhances the sumoylation of MTA
	and may participate in its paralog-selective sumoylation (PubMed:21965678,
	PubMed:9388184). Sumoylates CCAR2 which promotes its interaction with SIRT1
	(PubMed:25406032). Diminishes the sumoylation of ZFHX3 by preventing the colocalization of
	ZFHX3 with SUM01 in the nucleus (PubMed:24651376).
	Gene: PIAS3
Molecular Weight:	68kDa
Gene ID:	10401
UniProt:	Q9Y6X2
Pathways:	JAK-STAT Signaling
Application Details	
Application Notes:	WB: 1:500-1:3000, IHC: 1:50-1:200, IF/ICC 1:100-1:500, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 %
	glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.

Expiry Date:


12 months

Images




Immunofluorescence (fixed cells)

Image 1. ABIN6266655 staining 293 by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25°C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37°C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) Ab, diluted at 1/600, was used as the secondary antibody.



Western Blotting

Image 2. Western blot analysis of extracts from mouse heart, using PIAS3 Antibody.



Immunohistochemistry

Image 3. ABIN6266655 at 1/100 staining human brain tissue sections by IHC-P. The tissue was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The tissue was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.

Please check the product details page for more images. Overall 4 images are available for ABIN6264198.