
antibodies - online.com







anti-PPAN antibody (C-Term)

Images



\sim	
()\/⊝	rview
0 1 0	VICVV

3 7 3 7 7 3 7 7	
Quantity:	100 μL
Target:	PPAN
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPAN antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	A synthesized peptide derived from human PPAN, corresponding to a region within C-terminal amino acids.
Isotype:	IgG
Specificity:	PPAN Antibody detects endogenous levels of total PPAN.
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).
Target Details	
Target:	PPAN
Alternative Name:	PPAN (PPAN Products)

Target Details


Background:	Description: May have a role in cell growth. Gene: PPAN
Molecular Weight:	55-58 kDa
Gene ID:	56342, 692312
UniProt:	Q9NQ55

Application Details

Application Notes:	WB 1:500-1:2000, IHC 1:50-1:200
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months



Immunohistochemistry

Image 1. ABIN6273301 at 1/100 staining Human breast cancer tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.



Western Blotting

Image 2. Western blot analysis of extracts of rat heart tissue, using PPAN antibody.