# .-online.com antibodies

# Datasheet for ABIN6264658 anti-RASSF8 antibody (C-Term)

2 Images



#### Overview

Quantity:	100 μL
Target:	RASSF8
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RASSF8 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

## Product Details

Immunogen:	A synthesized peptide derived from human RASSF8, corresponding to a region within C- terminal amino acids.
Isotype:	lgG
Specificity:	RASSF8 Antibody detects endogenous levels of total RASSF8.
Predicted Reactivity:	Pig,Bovine,Horse,Sheep,Rabbit,Dog
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink <sup>TM</sup> Coupling Resin (Thermo Fisher Scientific).

## Target Details

Target:

RASSF8

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6264658 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

#### Target Details


Alternative Name:	RASSF8 (RASSF8 Products)
Background:	Gene: RASSF8
Molecular Weight:	48 kDa
Gene ID:	11228
UniProt:	Q8NHQ8
Pathways:	Chromatin Binding

## Application Details

Application Notes:	WB 1:1000-3000, IHC 1:200, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months




#### Immunohistochemistry

**Image 1.** ABIN6279715 at 1/100 staining Rat brain tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at  $22_i$ aC. An HRP conjugated goat anti-rabbit antibody was used as the secondary

#### Western Blotting

**Image 2.** Western blot analysis of RASSF8 using RAW264.7 whole cell lysates



Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6264658 | 09/10/2023 | Copyright antibodies-online. All rights reserved.