antibodies .- online.com







anti-RPS3A antibody (C-Term)

Images

Target:



Overview	
Quantity:	100 μL
Target:	RPS3A
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RPS3A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA
Product Details	
Immunogen:	A synthesized peptide derived from human RPS3A, corresponding to a region within C-terminal amino acids.
Isotype:	IgG
Specificity:	RPS3A Antibody detects endogenous levels of total RPS3A.
Predicted Reactivity:	Pig,Zebrafish,Bovine,Horse,Sheep,Rabbit,Dog,Chicken,Xenopus
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).
Target Details	

RPS3A

Target Details


Alternative Name:	RPS3A (RPS3A Products)
Background:	Description: May play a role during erythropoiesis through regulation of transcription factor DDIT3. Gene: RPS3A
Molecular Weight:	30kDa
Gene ID:	6189
UniProt:	P61247

Application Details

Application Notes:	WB 1:1000-3000, IHC 1:200, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit lgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months



Western Blotting

Image 1. Western blot analysis of RPS3A using RAW264.7 whole cell lysates



Immunohistochemistry

Image 2. ABIN6279037 at 1/100 staining Rat heart tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22_{i} ãC. An HRP conjugated goat anti-rabbit antibody was used as the secondary