# antibodies .- online.com





## anti-TAS2R47 antibody





#### Go to Product page

$\sim$							
	1//	$\Box$	r۱	/ [	$\bigcirc$	1	٨,

Quantity:	100 μL
Target:	TAS2R47 (TAS2R30)
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TAS2R47 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

#### **Product Details**

Immunogen:	A synthesized peptide derived from human TAS2R47
Isotype:	IgG
Specificity:	TAS2R47 Antibody detects endogenous levels of total TAS2R47
Cross-Reactivity:	Human, Mouse (Murine), Rat (Rattus)
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink <sup>TM</sup> Coupling Resin (Thermo Fisher Scientific).

#### **Target Details**

Target:	TAS2R47 (TAS2R30)
Alternative Name:	TAS2R47 (TAS2R30 Products)
Background:	Description: Receptor that may play a role in the perception of bitterness and is gustducin-

#### **Target Details**

A / - :  - +-	07.1.0-
	Gene: TAS2R30
	to the gating of TRPM5 (By similarity).
	activity of this receptor may stimulate alpha gustducin, mediate PLC-beta-2 activation and lead
	linked. May play a role in sensing the chemical composition of the gastrointestinal content. The


Molecular Weight:	37 kDa
Gene ID:	259293
I IniProt	P505/1

### **Application Details**

Application Notes:	WB 1:1000-3000
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 $\%$ sodium azide and 50 $\%$ glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C.Stable for 12 months from date of receipt
Expiry Date:	12 months



#### **Western Blotting**

**Image 1.** Western blot analysis of TAS2R47 using HT-29 whole cell lysates