antibodies .- online.com





Datasheet for ABIN6265481

anti-TBL2 antibody (C-Term)





Go to Product page

\sim	
()\/\Di	view
	VICVV

100 μL
·
TBL2
C-Term
Human, Mouse, Rat
Rabbit
Polyclonal
This TBL2 antibody is un-conjugated
Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF), Immunocytochemistry (ICC)
A synthesized peptide derived from human TBL2, corresponding to a region within C-terminal amino acids.
IgG
TBL2 Antibody detects endogenous levels of total TBL2.
Pig,Bovine,Horse,Sheep,Rabbit
The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).
TBL2
_

Target Details


Alternative Name:	TBL2 (TBL2 Products)
Background:	Gene: TBL2
Molecular Weight:	50kDa
Gene ID:	26608
UniProt:	Q9Y4P3


Application Details

Application Notes:	WB 1:1000, IF/ICC 1:100-1:500, IHC 1:50-1:200, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months





Immunofluorescence (fixed cells)

Image 1. ABIN6272441 staining MCF7 cells by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25°C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37°C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) antibody(Cat.# S0006), diluted at 1/600, was used as secondary antibody.

Western Blotting

Image 2. Western blot analysis of TBL2 using MCF7 whole cell lysates