antibodies -online.com





anti-TNFRSF6B antibody





Go to Product page

Overview

Quantity:	100 μL
Target:	TNFRSF6B
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFRSF6B antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunofluorescence (IF), Immunocytochemistry (ICC)

Product Details

Immunogen:	A synthesized peptide derived from human TNFRSF6B
Isotype:	IgG
Specificity:	TNFRSF6B Antibody detects endogenous levels of TNFRSF6B
Cross-Reactivity:	Human, Mouse (Murine)
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).

Target Details

Target:	TNFRSF6B
Alternative Name:	TNFRSF6B (TNFRSF6B Products)

Target Details


Background:	Description: Decoy receptor that can neutralize the cytotoxic ligands TNFS14/LIGHT, TNFSF15
	and TNFSF6/FASL. Protects against apoptosis.
	Gene: TNFRSF6B
Molecular Weight:	32kDa
Gene ID:	8771
UniProt:	095407


Application Details

Application Notes:	WB 1:500-1:2000 IHC 1:50-1:200 IF/ICC 1:100-1:500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C.Stable for 12 months from date of receipt
Expiry Date:	12 months





1 2 250 150 100 70 50 35 25 20 15 10 -

Immunofluorescence (fixed cells)

Image 1. ABIN6266780 staining HeLa cells by IF/ICC. The sample were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25°C. The primary antibody was diluted at 1/200 and incubated with the sample for 1 hour at 37°C. An Alexa Fluor 594 conjugated goat anti-rabbit IgG (H+L) antibody(Cat.# S0006), diluted at 1/600, was used as secondary antibody.

Immunohistochemistry

Image 2. ABIN6266780 at 1/100 staining human brain tissue sections by IHC-P. The tissue was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The tissue was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.

Western Blotting

Image 3. Western blot analysis of extracts from mouse heart, using TNFRSF6B Antibody. Lane 1 was treated with the antigen-specific peptide.

Please check the product details page for more images. Overall 4 images are available for ABIN6265644.