antibodies .- online.com







anti-TRADD antibody (N-Term)





\sim			
	$ \backslash / \cap$	r\/I	\square


Target:

100 μL	
TRADD	
N-Term	
Human, Mouse, Rat	
Rabbit	
Polyclonal	
This TRADD antibody is un-conjugated	
Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunofluorescence (IF),	
Immunocytochemistry (ICC)	
A synthesized peptide derived from human TRADD, corresponding to a region within N-terminal	
amino acids.	
IgG	
TRADD Antibody detects endogenous levels of total TRADD.	
Pig,Bovine,Sheep	
The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling	
Resin (Thermo Fisher Scientific).	
•	

TRADD


Target Details

Alternative Name:	TRADD (TRADD Products)	
Background:	Description: The nuclear form acts as a tumor suppressor by preventing ubiquitination and	
	degradation of isoform p19ARF/ARF of CDKN2A by TRIP12: acts by interacting with TRIP12,	
	leading to disrupt interaction between TRIP12 and isoform p19ARF/ARF of CDKN2A (By	
	similarity). Adapter molecule for TNFRSF1A/TNFR1 that specifically associates with the	
	cytoplasmic domain of activated TNFRSF1A/TNFR1 mediating its interaction with FADD.	
	Overexpression of TRADD leads to two major TNF-induced responses, apoptosis and activation	
	of NF-kappa-B.	
	Gene: TRADD	
Molecular Weight:	34kDa	
Gene ID:	8717	
UniProt:	Q15628	
Pathways:	NF-kappaB Signaling, Apoptosis, Caspase Cascade in Apoptosis, Positive Regulation of	
	Endopeptidase Activity, Hepatitis C	
Application Details		
Application Notes:	WB 1:500-1:2000, IHC 1:50-1:200, IF/ICC 1:100-1:500, ELISA(peptide) 1:20000-1:40000	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 %	
	glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.	
Expiry Date:	12 months	




Western Blotting

Image 1. Western blot analysis of extracts from rat brain, using TRADD Antibody.



Immunohistochemistry

Image 2. ABIN6276548 at 1/100 staining Rat brain tissue by IHC-P. The sample was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The sample was then blocked and incubated with the antibody for 1.5 hours at 22¡ãC. An HRP conjugated goat anti-rabbit antibody was used as the secondary



Western Blotting

Image 3. Western blot analysis of Jurkat using TRADD antibody. The lane on the left is treated with the antigenspecific peptide.

Please check the product details page for more images. Overall 4 images are available for ABIN6265701.