antibodies - online.com







anti-TUBGCP3 antibody (N-Term)



Image



\sim				
	$ V \cap$	r\/I	19	٨

Overview	
Quantity:	100 μL
Target:	TUBGCP3
Binding Specificity:	N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TUBGCP3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)
Product Details	
Immunogen:	A synthesized peptide derived from human TUBGCP3, corresponding to a region within N-terminal amino acids.
Isotype:	IgG
Specificity:	TUBGCP3 Antibody detects endogenous levels of total TUBGCP3.
Predicted Reactivity:	Pig,Zebrafish,Bovine,Horse,Sheep,Rabbit,Dog,Chicken,Xenopus
Purification:	The antiserum was purified by peptide affinity chromatography using SulfoLink TM Coupling Resin (Thermo Fisher Scientific).
Target Details	
Target:	TUBGCP3

Target Details


Alternative Name:	TUBGCP3 (TUBGCP3 Products)
Background:	Description: Gamma-tubulin complex is necessary for microtubule nucleation at the centrosome. Gene: TUBGCP3
Molecular Weight:	105kDa
Gene ID:	10426
UniProt:	Q96CW5
Pathways:	M Phase, SARS-CoV-2 Protein Interactome

Application Details

Application Notes:	IHC 1:50-1:200, WB 1:500-1:2000, ELISA(peptide) 1:20000-1:40000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Rabbit IgG in phosphate buffered saline , pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20 °C. Stable for 12 months from date of receipt.
Expiry Date:	12 months



Immunohistochemistry

Image 1. ABIN6266785 at 1/100 staining human kidney tissue sections by IHC-P. The tissue was formaldehyde fixed and a heat mediated antigen retrieval step in citrate buffer was performed. The tissue was then blocked and incubated with the antibody for 1.5 hours at 22°C. An HRP conjugated goat anti-rabbit antibody was used as the secondary.