antibodies -online.com





anti-NCOR2 antibody (Internal Region)



		Go to Product page

()	1 /	0	rv	/ 1 /	71	Α.
	1//	\vdash	1 \/	16		1/1/
\sim	v	\sim	1 V	١,	_	v v

Quantity:	50 μL
Target:	NCOR2
Binding Specificity:	AA 100-180, Internal Region
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NCOR2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Purpose:	Rabbit polyclonal to TRAC-1.
Immunogen:	Synthesized peptide derived from human TRAC-1
Isotype:	IgG
Specificity:	TRAC-1 Polyclonal Antibody detects endogenous levels of TRAC-1 protein.
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	NCOR2
Alternative Name:	TRAC-1 (NCOR2 Products)

Target Details

Molecular Weight:	26 kDa
Gene ID:	54941
UniProt:	Q96EQ8
Pathways:	Notch Signaling, Carbohydrate Homeostasis, Chromatin Binding, Regulation of Lipid Metabolism by PPARalpha

	Metabolism by PPARalpha
Application Details	
Application Notes:	WB 1:500-1:2000
	IHC 1:100-1:300
	ELISA 1:10000
Comment:	Predominantly expressed in lymphoid tissues, including bone marrow, spleen and thymus. Also
	weakly expressed in other tissues. Predominant in the CD4(+) and CD8(+) T-cells, suggesting
	that it is preferentially confined to T-cells.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide

Precaution of Use:

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage:

-20 °C

Storage Comment:

Store at -20 °C, and avoid repeat freeze-thaw cycles.