antibodies .- online.com





anti-NAA15 antibody (Internal Region)



| () | ve | K\ / | | A . |
|-----|--------|------|----|-----|
| | \cup | 1 V/ | Щ. | V۷ |
| | | | | |

| Quantity: | 50 μL |
|----------------------|---|
| Target: | NAA15 |
| Binding Specificity: | AA 190-270, Internal Region |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This NAA15 antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Immunofluorescence (IF), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)) |

Product Details

| Purpose: | Rabbit polyclonal to NARG1. | |
|---------------|---|--|
| Immunogen: | Synthesized peptide derived from human NARG1 | |
| Isotype: | IgG | |
| Specificity: | NARG1 Polyclonal Antibody detects endogenous levels of NARG1 protein. | |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. | |

Target Details

Target Details

| Alternative Name: | NARG1 (NAA15 Products) |
|-------------------|------------------------|
| Molecular Weight: | 100 kDa |
| Gene ID: | 80155 |
| UniProt: | Q9BXJ9 |

Application Details

| Application Notes: | WB 1:500-1:2000 |
|--------------------|--|
| | IHC 1:100-1:300 |
| | IF 1:200-1:1000 |
| | ELISA 1:20000 |
| Comment: | Expressed at high levels in testis and in ocular endothelial cells. Also found in brain (corpus |
| | callosum), heart, colon, bone marrow and at lower levels in most adult tissues, including thyroid, |
| | liver, pancreas, mammary and salivary glands, lung, ovary, urogenital system and upper |
| | gastrointestinal tract. Overexpressed in gastric cancer, in papillary thyroid carcinomas and in a |
| | Burkitt lymphoma cell line (Daudi). Specifically suppressed in abnormal proliferating blood |
| | vessels in eyes of patients with proliferative diabetic retinopathy. |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 mg/mL |
| Buffer: | Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C, and avoid repeat freeze-thaw cycles. |