

Datasheet for ABIN6283816
anti-F2RL3 antibody (Internal Region)



[Go to Product page](#)

Overview

| | |
|----------------------|---|
| Quantity: | 50 µL |
| Target: | F2RL3 |
| Binding Specificity: | AA 40-120, Internal Region |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This F2RL3 antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Immunofluorescence (IF) |

Product Details

| | |
|---------------|---|
| Purpose: | Rabbit polyclonal to PAR-4. |
| Immunogen: | Synthesized peptide derived from human PAR-4 |
| Isotype: | IgG |
| Specificity: | PAR-4 Polyclonal Antibody detects endogenous levels of PAR-4 protein. |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |

Target Details

| | |
|-------------------|--|
| Target: | F2RL3 |
| Alternative Name: | PAR-4 (F2RL3 Products) |

Target Details

| | |
|-------------------|---|
| Molecular Weight: | 41 kDa |
| Gene ID: | 9002 |
| UniProt: | Q96RI0 |
| Pathways: | Carbohydrate Homeostasis , Regulation of Carbohydrate Metabolic Process |

Application Details

| | |
|--------------------|--|
| Application Notes: | WB 1:500-1:2000 IF 1:200-1:1000 ELISA 1:10000 |
| Comment: | Widely expressed, with highest levels in lung, pancreas, thyroid, testis and small intestine. Not expressed in brain, kidney, spinal cord and peripheral blood leukocytes. Also detected in platelets. |
| Restrictions: | For Research Use only |

Handling

| | |
|--------------------|--|
| Format: | Liquid |
| Concentration: | 1 mg/mL |
| Buffer: | Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C, and avoid repeat freeze-thaw cycles. |