
antibodies -online.com





anti-PHLDA2 antibody (Internal Region)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	50 μL
Target:	PHLDA2
Binding Specificity:	AA 50-130, Internal Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PHLDA2 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Purpose:	Rabbit polyclonal to TSSC3.
Immunogen:	Synthesized peptide derived from human TSSC3
Isotype:	IgG
Specificity:	TSSC3 Polyclonal Antibody detects endogenous levels of TSSC3 protein.
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	PHLDA2
Alternative Name:	TSSC3 (PHLDA2 Products)

Target Details

Molecular Weight:	17.092 kDa
Gene ID:	7262
UniProt:	Q53GA4
Pathways:	Regulation of Carbohydrate Metabolic Process

Application Details

Application Notes:	IHC 1:100-1:300
	ELISA 1:20000
Comment:	Expressed in placenta and adult prostate gland. In placenta, it is present in all cells of the villous
	cytotrophoblast. The protein is absent in cells from hydatidiform moles. Hydatidiform mole is a
	gestation characterized by abnormal development of both fetus and trophoblast. The majority
	of hydatidiform moles are associated with an excess of paternal to maternal genomes and are
	likely to result from the abnormal expression of imprinted genes (at protein level). Expressed at
	low levels in adult liver and lung, and fetal liver. Expressed in adult brain and neuroblastoma,
	medullablastoma and glioblastoma cell lines.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C, and avoid repeat freeze-thaw cycles.