

Datasheet for ABIN629594

anti-METTL7A antibody (N-Term)





Go to Product page

\sim			
()\	/ e	rVI	iew

Quantity:	100 μg
Target:	METTL7A
Binding Specificity:	N-Term
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This METTL7A antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
i Toddot Details	
Immunogen:	METTL7 A antibody was raised using the N terminal of METTL7 corresponding to a region with
	METTL7 A antibody was raised using the N terminal of METTL7 corresponding to a region with amino acids MASKKRELFSNLQEFAGPSGKLSLLEVGCGTGANFKFYPPGCRVTCIDPN
Immunogen:	amino acids MASKKRELFSNLQEFAGPSGKLSLLEVGCGTGANFKFYPPGCRVTCIDPN
Immunogen: Specificity:	amino acids MASKKRELFSNLQEFAGPSGKLSLLEVGCGTGANFKFYPPGCRVTCIDPN METTL7 A antibody was raised against the N terminal of METTL7
Immunogen: Specificity: Purification:	amino acids MASKKRELFSNLQEFAGPSGKLSLLEVGCGTGANFKFYPPGCRVTCIDPN METTL7 A antibody was raised against the N terminal of METTL7
Immunogen: Specificity: Purification: Target Details	amino acids MASKKRELFSNLQEFAGPSGKLSLLEVGCGTGANFKFYPPGCRVTCIDPN METTL7 A antibody was raised against the N terminal of METTL7 Purified
Immunogen: Specificity: Purification: Target Details Target:	amino acids MASKKRELFSNLQEFAGPSGKLSLLEVGCGTGANFKFYPPGCRVTCIDPN METTL7 A antibody was raised against the N terminal of METTL7 Purified METTL7A


Application Details

Application Notes:	WB: 2.5 μ g/mL Optimal conditions should be determined by the investigator.
Comment:	METTL7A Blocking Peptide, catalog no. 33R-5748, is also available for use as a blocking control in assays to test for specificity of this METTL7A antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of METTL0 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. METTL7A antibody used at 2.5 ug/ml to detect target protein.