

Datasheet for ABIN629757

anti-LOC653186 antibody (N-Term)





Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	100 μg
Target:	LOC653186
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LOC653186 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
1 Todact Details	
Immunogen:	LOC653186 antibody was raised using the N terminal of LOC653186 corresponding to a region
	LOC653186 antibody was raised using the N terminal of LOC653186 corresponding to a region with amino acids MKVINAKLDGFYSFPIFLFQFLQATAQEEGIFECADPKLAISAIWTFRDL
Immunogen:	with amino acids MKVINAKLDGFYSFPIFLFQFLQATAQEEGIFECADPKLAISAIWTFRDL
Immunogen: Specificity:	with amino acids MKVINAKLDGFYSFPIFLFQFLQATAQEEGIFECADPKLAISAIWTFRDL LOC653186 antibody was raised against the N terminal of LOC653186
Immunogen: Specificity: Purification:	with amino acids MKVINAKLDGFYSFPIFLFQFLQATAQEEGIFECADPKLAISAIWTFRDL LOC653186 antibody was raised against the N terminal of LOC653186
Immunogen: Specificity: Purification: Target Details	with amino acids MKVINAKLDGFYSFPIFLFQFLQATAQEEGIFECADPKLAISAIWTFRDL LOC653186 antibody was raised against the N terminal of LOC653186 Purified
Immunogen: Specificity: Purification: Target Details Target:	with amino acids MKVINAKLDGFYSFPIFLFQFLQATAQEEGIFECADPKLAISAIWTFRDL LOC653186 antibody was raised against the N terminal of LOC653186 Purified LOC653186


Application Details

Application Notes:	WB: 2.5 μg/mL
	Optimal conditions should be determined by the investigator.
Comment:	LOC653186 Blocking Peptide, catalog no. 33R-6172, is also available for use as a blocking
	control in assays to test for specificity of this LOC653186 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of LOC653186 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	

Images



Western Blotting

Image 1. LOC653186 antibody used at 2.5 ug/ml to detect target protein.