

# Datasheet for ABIN6297660

# anti-Nuclear Antigen antibody



### Overview

OVEIVIEW	
Quantity:	100 μg
Target:	Nuclear Antigen (IPO-38)
Reactivity:	Human, Mouse, Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Nuclear Antigen antibody is un-conjugated
Application:	Flow Cytometry (FACS), Immunofluorescence (IF), Immunohistochemistry (IHC)
Product Details	
Purpose:	Mouse anti-Human/Mouse/Rat IPO-38 Antibody (Proliferation Marker) [Sodium Azide Free]
Immunogen:	Spleen cells from a patient with hairy cell leukemia were used as the immunogen for the IPO-38 antibody.
Specificity:	Nuclear
Purification:	Spleen cells from a patient with hairy cell leukemia were used as the immunogen for the IPO-38 antibody.
Target Details	
Target:	Nuclear Antigen (IPO-38)
Alternative Name:	IPO38 (IPO-38 Products)
Background:	Target Description: Recognizes a protein of 14-16 kDa, which is a novel nuclear antigen of proliferating cells. IPO38 antigen is present in the nuclei of proliferating cells such as Hodgkin s

# **Target Details**

disease and non-Hodgkin's lymphomas, different forms of leukemias, breast and colorectal carcinomas, and PHA-stimulated lymphocytes. It is not expressed in the cells of non-stimulated lymphocytes and granulocytes. IPO38 may be a useful marker of cell proliferation during monitoring of tumor progression.

# **Application Details**

Storage Comment:

Application Notes:	Flow Cytometry: 0.5-1 µg/million cells in 0.1ml
	Immunofluorescence: 0.5-1 µg/mL
	Immunohistochemistry (FFPE): 0.5-1 μg/mL for 30 min at RT (1)
	Prediluted format: incubate for 30 min at RT (2)
Restrictions:	For Research Use only
Handling	
Buffer:	In 1X PBS, BSA free, sodium azide free
Preservative:	Azide free
Storage:	4 °C,-20 °C

2-8 °C. The azide-free format should be aliquoted and stored at -20 °C or colder.