

Datasheet for ABIN629909
anti-HNRNPUL1 antibody (C-Term)



[Go to Product page](#)

3 Images

Overview

Quantity:	100 µg
Target:	HNRNPUL1
Binding Specificity:	C-Term
Reactivity:	Human, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPUL1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	HNRNPUL1 antibody was raised using the C terminal of HNRNPUL1 corresponding to a region with amino acids TYPQPSYNQYQQYAQQWNQYYQNQGQWPPYYGNYDYGSYSNGNTQGGTSTQ
Specificity:	HNRNPUL1 antibody was raised against the C terminal of HNRNPUL1
Purification:	Purified

Target Details

Target:	HNRNPUL1
Alternative Name:	HNRNPUL1 (HNRNPUL1 Products)
Background:	HNRNPUL1 is a nuclear RNA-binding protein of the heterogeneous nuclear ribonucleoprotein (hnRNP) family. This protein binds specifically to adenovirus E1B-55kDa oncoprotein. It may play an important role in nucleocytoplasmic RNA transport, and its function is modulated by

Target Details

E1B-55kDa in adenovirus-infected cells.

Molecular Weight: 83 kDa (MW of target protein)

Application Details

Application Notes: WB: 0.25 µg/mL, IHC: 4-8 µg/mL
Optimal conditions should be determined by the investigator.

Comment: HNRPUL1 Blocking Peptide, catalog no. 33R-9397, is also available for use as a blocking control in assays to test for specificity of this HNRPUL1 antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of HNRPUL1 antibody in PBS


Concentration: Lot specific

Buffer: PBS

Handling Advice: Avoid repeated freeze/thaw cycles.
Dilute only prior to immediate use.


Storage: 4 °C/-20 °C

Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Immunohistochemistry

Image 1. HNRPUL1 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Skeletal muscle cells (arrows) in Human Muscle. Magnification is at 400X



Immunohistochemistry

Image 2. HNRPUL1 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Hepatocytes (arrows) in Human Liver. Magnification is at 400X.



Western Blotting

Image 3. HNRPUL1 antibody used at 0.25 ug/ml to detect target protein.