

Datasheet for ABIN629974

anti-RPL9 antibody (C-Term)





Go to Product page

_			
	Ve.	rv	iew

Overview			
Quantity:	100 μg		
Target:	RPL9		
Binding Specificity:	C-Term		
Reactivity:	Human, Mouse, Rat, Dog		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This RPL9 antibody is un-conjugated		
Application:	Western Blotting (WB)		
Product Details			
Immunogen:	RPL9 antibody was raised using the C terminal of RPL9 corresponding to a region with amino		
	acids ELILEGNDIELVSNSAALIQQATTVKNKDIRKFLDGIYVSEKGTVQQADE		
Specificity:	RPL9 antibody was raised against the C terminal of RPL9		
Purification:	Purified		
Target Details			
Target:	RPL9		
Alternative Name:	RPL9 (RPL9 Products)		
Background:	RPL9 is a ribosomal protein that is a component of the 60S subunit. RPL9 belongs to the L6P		
	family of ribosomal proteins. It is located in the cytoplasm. As is typical for genes encoding		
	ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through		

Target Details

Storage:

Storage Comment:

- a. gat 2 ataa		
	the genome. Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins.	
Molecular Weight:	21 kDa (MW of target protein)	
Application Details		
Application Notes:	WB: 1.25 µg/mL Optimal conditions should be determined by the investigator.	
Comment:	RPL9 Blocking Peptide, catalog no. 33R-2552, is also available for use as a blocking control in assays to test for specificity of this RPL9 antibody	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of RPL9 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.	

4 °C/-20 °C

Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

87 kDa__ 70 kDa__ 60 kDa__ 48 kDa__ 36 kDa__

Western Blotting

Image 1. RPL9 antibody used at 1.25 ug/ml to detect target protein.