

Datasheet for ABIN630034
anti-DIS3L2 antibody (N-Term)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	DIS3L2
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DIS3L2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	MGC42174 antibody was raised using the N terminal Of Mgc42174 corresponding to a region with amino acids WKVVKPESNDKETEAAYESDIPEELCGHHLPQQSLKSYNDSPDVIVEAQF
Specificity:	MGC42174 antibody was raised against the N terminal Of Mgc42174
Purification:	Purified

Target Details

Target:	DIS3L2
Abstract:	DIS3L2 Products
Background:	MGC42174 is a probable exonuclease.
Molecular Weight:	68 kDa (MW of target protein)

Target Details

Pathways: [Stem Cell Maintenance](#)

Application Details

Application Notes:	WB: 1.25 µg/mL, IHC: 4-8 µg/mL Optimal conditions should be determined by the investigator.
Comment:	MGC42174 Blocking Peptide, catalog no. 33R-9966, is also available for use as a blocking control in assays to test for specificity of this MGC42174 antibody
Restrictions:	For Research Use only

Handling


Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of MGC42174 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Immunohistochemistry

Image 1. MGC42174 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Myocardial cells (arrows) in Human Heart. Magnification is at 400X



Western Blotting

Image 2. MGC42174 antibody used at 1.25 ug/ml to detect target protein.