

Datasheet for ABIN630085

anti-CACNB3 antibody (C-Term)





Go to Product page

_						
	1//	Д	rv	16	٦/	٨
U	W	\vdash	ΙV	Ιt	٦,	/V

O V CI V I C V V	
Quantity:	100 μg
Target:	CACNB3
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CACNB3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	CACNB3 antibody was raised using the C terminal of CACNB3 corresponding to a region with
	amino acids EHSPLERDSLMPSDEASESSRQAWTGSSQRSSRHLEEDYADAYQDLYQPH
Specificity:	CACNB3 antibody was raised against the C terminal of CACNB3
Purification:	Purified
Target Details	
Target:	CACNB3
Alternative Name:	CACNB3 (CACNB3 Products)
Background:	The L-type calcium channel is composed of four subunits: alpha-1, alpha-2, beta and gamma.
	The beta subunit of voltage-dependent calcium channels contributes to the function of the
	calcium channel by increasing peak calcium current, shifting the voltage dependencies of


Target Details

rarget Details	
	activation and inactivation, modulating G protein inhibition and controlling the alpha-1 subunit membrane targeting.
Molecular Weight:	53 kDa (MW of target protein)
Pathways:	Myometrial Relaxation and Contraction
Application Details	
Application Notes:	WB: 2.5 μg/mL
	Ontimal conditions should be determined by the investigator

Application Notes:	WB: 2.5 μg/mL
	Optimal conditions should be determined by the investigator.
Comment:	CACNB3 Blocking Peptide, catalog no. 33R-2461, is also available for use as a blocking control in assays to test for specificity of this CACNB3 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of CACNB3 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. CACNB3 antibody used at 2.5 ug/ml to detect target protein.