

## Datasheet for ABIN630163

## anti-PSG1 antibody (C-Term)

# 1 Image



#### Overview

Quantity:	100 μg
Target:	PSG1
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSG1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Jagot Detailo	
Immunogen:	PSG1 antibody was raised using the C terminal of PSG1 corresponding to a region with amino
	PSG1 antibody was raised using the C terminal of PSG1 corresponding to a region with amino acids YLSCSADSNPPAQYSWTINEKFQLPGQKLFIRHITTKHSGLYVCSVRNSA
Immunogen:	acids YLSCSADSNPPAQYSWTINEKFQLPGQKLFIRHITTKHSGLYVCSVRNSA
Immunogen: Specificity:	acids YLSCSADSNPPAQYSWTINEKFQLPGQKLFIRHITTKHSGLYVCSVRNSA  PSG1 antibody was raised against the C terminal of PSG1
Immunogen:  Specificity:  Purification:	acids YLSCSADSNPPAQYSWTINEKFQLPGQKLFIRHITTKHSGLYVCSVRNSA  PSG1 antibody was raised against the C terminal of PSG1
Immunogen:  Specificity:  Purification:  Target Details	acids YLSCSADSNPPAQYSWTINEKFQLPGQKLFIRHITTKHSGLYVCSVRNSA  PSG1 antibody was raised against the C terminal of PSG1  Purified
Immunogen:  Specificity:  Purification:  Target Details  Target:	acids YLSCSADSNPPAQYSWTINEKFQLPGQKLFIRHITTKHSGLYVCSVRNSA  PSG1 antibody was raised against the C terminal of PSG1  Purified  PSG1


### **Application Details**

Application Notes:	WB: 2.5 μg/mL
	Optimal conditions should be determined by the investigator.
Comment:	PSG1 Blocking Peptide, catalog no. 33R-10182, is also available for use as a blocking control in assays to test for specificity of this PSG1 antibody
Restrictions:	For Research Use only

### Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of PSG1 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles.  Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

#### **Images**



#### **Western Blotting**

**Image 1.** PSG1 antibody used at 2.5 ug/ml to detect target protein.