

Datasheet for ABIN630173

anti-MCM4 antibody (Middle Region)





Overview

Overview	
Quantity:	100 μg
Target:	MCM4
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MCM4 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	MCM4 antibody was raised using the middle region of MCM4 corresponding to a region with
	amino acids VYKTHIDVIHYRKTDAKRLHGLDEEAEQKLFSEKRVELLKELSRKPDIYE
Specificity:	MCM4 antibody was raised against the middle region of MCM4
Purification:	Purified
Target Details	
Target:	MCM4
Alternative Name:	MCM4 (MCM4 Products)
Background:	The protein encoded by MCM4 is one of the highly conserved mini-chromosome maintenance
	proteins (MCM) that are essential for the initiation of eukaryotic genome replication. The
	hexameric protein complex formed by MCM proteins is a key component of the pre-replication

complex (pre_RC) and may be involved in the formation of replication forks and in the recruitment of other DNA replication related proteins. The MCM complex consisting of this protein and MCM2, 6 and 7 proteins possesses DNA helicase activity, and may act as a DNA unwinding enzyme. The phosphorylation of this protein by CDC2 kinase reduces the DNA helicase activity and chromatin binding of the MCM complex. The MCM4 gene is mapped to a region on the chromosome 8 head-to-head next to the PRkDaC/DNA-PK, a DNA-activated protein kinase involved in the repair of DNA double-strand breaks.

Molecular Weight:

95 kDa (MW of target protein)

Pathways:


DNA Damage Repair, Mitotic G1-G1/S Phases, DNA Replication, Chromatin Binding, Synthesis of DNA

Application Details

Application Notes:	WB: 1.25 μg/mL
	Optimal conditions should be determined by the investigator.
Comment:	MCM4 Blocking Peptide, catalog no. 33R-9921, is also available for use as a blocking control in assays to test for specificity of this MCM4 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of MCM4 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. MCM4 antibody used at 1.25 ug/ml to detect target protein.