

Datasheet for ABIN630347
anti-USP48 antibody (Middle Region)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	USP48
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This USP48 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	USP48 antibody was raised using the middle region of USP48 corresponding to a region with amino acids ALGLDTGQQQDAQEFKLFMSLLEDTLKQKPNPDVRNIVQQQFCGEYAYV
Specificity:	USP48 antibody was raised against the middle region of USP48
Purification:	Purified

Target Details

Target:	USP48
Alternative Name:	USP48 (USP48 Products)
Background:	USP48 is a protein containing domains that associate it with the peptidase family C19, also known as family 2 of ubiquitin carboxyl-terminal hydrolases. Family members function as deubiquitinating enzymes, recognizing and hydrolyzing the peptide bond at the C-terminal

Target Details

glycine of ubiquitin. Enzymes in peptidase family C19 are involved in the processing of poly-ubiquitin precursors as well as that of ubiquitinated proteins.

Molecular Weight: 70 kDa (MW of target protein)

Application Details

Application Notes: WB: 2.5 µg/mL
Optimal conditions should be determined by the investigator.

Comment: USP48 Blocking Peptide, catalog no. 33R-1333, is also available for use as a blocking control in assays to test for specificity of this USP48 antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of USP48 antibody in PBS


Concentration: Lot specific

Buffer: PBS

Handling Advice: Avoid repeated freeze/thaw cycles.
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C

Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. USP48 antibody used at 2.5 ug/ml to detect target protein.