

Datasheet for ABIN630402 anti-FAR1 antibody (N-Term)





Go to Product page

C)\	er	٧	IE	W
---	----	----	---	----	---

Quantity:	100 μg
Target:	FAR1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAR1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	MLSTD2 antibody was raised using the N terminal Of Mlstd2 corresponding to a region with
	MLSTD2 antibody was raised using the N terminal Of Mlstd2 corresponding to a region with amino acids LRSCPKVNSVYVLVRQKAGQTPQERVEEVLSGKLFDRLRDENPDFREKII
Immunogen:	amino acids LRSCPKVNSVYVLVRQKAGQTPQERVEEVLSGKLFDRLRDENPDFREKII
Immunogen: Specificity:	amino acids LRSCPKVNSVYVLVRQKAGQTPQERVEEVLSGKLFDRLRDENPDFREKII MLSTD2 antibody was raised against the N terminal Of Mlstd2
Immunogen: Specificity: Purification:	amino acids LRSCPKVNSVYVLVRQKAGQTPQERVEEVLSGKLFDRLRDENPDFREKII MLSTD2 antibody was raised against the N terminal Of Mlstd2
Immunogen: Specificity: Purification: Target Details	amino acids LRSCPKVNSVYVLVRQKAGQTPQERVEEVLSGKLFDRLRDENPDFREKII MLSTD2 antibody was raised against the N terminal Of Mlstd2 Purified
Immunogen: Specificity: Purification: Target Details Target:	amino acids LRSCPKVNSVYVLVRQKAGQTPQERVEEVLSGKLFDRLRDENPDFREKII MLSTD2 antibody was raised against the N terminal Of Mlstd2 Purified FAR1

Target Details


Molecular Weight:	59 kDa (MW of target protein)
Application Details	

Application Notes:	WB: 1.25 μg/mL
	Optimal conditions should be determined by the investigator.
Comment:	MLSTD2 Blocking Peptide, catalog no. 33R-5390, is also available for use as a blocking control in assays to test for specificity of this MLSTD2 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of MLSTD2 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. MLSTD2 antibody used at 1.25 ug/ml to detect target protein.