

Datasheet for ABIN630456

anti-TM9SF1 antibody (N-Term)

2 Images



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity: Target:	100 μg	
Target		
Target.	TM9SF1	
Binding Specificity:	N-Term	
Reactivity:	Human, Mouse, Rat, Dog, Zebrafish (Danio rerio)	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TM9SF1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Immunogen:	TM9 SF1 antibody was raised using the N terminal of TM9 F1 corresponding to a region with	
	amino acids EGVTHYKAGDPVILYVNKVGPYHNPQETYHYYQLPVCCPEKIRHKSLSLG	
Specificity:	TM9 SF1 antibody was raised against the N terminal of TM9 F1	
Purification:	Purified	
Target Details		
Target:	TM9SF1	
Alternative Name:	TM9SF1 (TM9SF1 Products)	
Background:	TM9SF1 may function as channel, small molecule transporter or receptor.	
Molecular Weight:	67 kDa (MW of target protein)	


Application Details

Application Notes:	WB: 1.25 μ g/mL, IHC: 4-8 μ g/mL Optimal conditions should be determined by the investigator.
Comment:	TM9SF1 Blocking Peptide, catalog no. 33R-2450, is also available for use as a blocking control in assays to test for specificity of this TM9SF1 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of TM0 F1 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	

Images



Immunohistochemistry

Image 1. TM9SF1 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of renal tubule (arrows) in Human Kidney. Magnification is at 400X

70 kDa__ 60 kDa__ 48 kDa__ 36 kDa__ 21 kDa__

Western Blotting

Image 2. TM9SF1 antibody used at 1.25 ug/ml to detect target protein.