

## Datasheet for ABIN630656

# anti-TSSK2 antibody (Middle Region)





Go to Product page

_			
	Ve.	rv	iew

Quantity:	100 μL	
Target:	TSSK2	
Binding Specificity:	Middle Region	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TSSK2 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Product Details  Immunogen:	TSSK2 antibody was raised using the middle region of TSSK2 corresponding to a region with	
	TSSK2 antibody was raised using the middle region of TSSK2 corresponding to a region with amino acids RMLQPDVSQRLHIDEILSHSWLQPPKPKATSSASFKREGEGKYRAECKLD	
Immunogen:	amino acids RMLQPDVSQRLHIDEILSHSWLQPPKPKATSSASFKREGEGKYRAECKLD	
Immunogen: Specificity:	amino acids RMLQPDVSQRLHIDEILSHSWLQPPKPKATSSASFKREGEGKYRAECKLD  TSSK2 antibody was raised against the middle region of TSSK2	
Immunogen:  Specificity:  Purification:	amino acids RMLQPDVSQRLHIDEILSHSWLQPPKPKATSSASFKREGEGKYRAECKLD  TSSK2 antibody was raised against the middle region of TSSK2	
Immunogen:  Specificity:  Purification:  Target Details	amino acids RMLQPDVSQRLHIDEILSHSWLQPPKPKATSSASFKREGEGKYRAECKLD  TSSK2 antibody was raised against the middle region of TSSK2  Affinity purified	
Immunogen:  Specificity:  Purification:  Target Details  Target:	amino acids RMLQPDVSQRLHIDEILSHSWLQPPKPKATSSASFKREGEGKYRAECKLD  TSSK2 antibody was raised against the middle region of TSSK2  Affinity purified  TSSK2	


## **Application Details**

Application Notes:	WB: 1 µg/mL	
	Optimal conditions should be determined by the investigator.	
Comment:	TSSK2 Blocking Peptide, catalog no. 33R-8066, is also available for use as a blocking control in	
	assays to test for specificity of this TSSK2 antibody	
Restrictions:	For Research Use only	

## Handling

Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of TSSK2 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles.  Dilute only prior to immediate use.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	

#### **Images**



#### **Western Blotting**

**Image 1.** TSSK2 antibody used at 1 ug/ml to detect target protein.